

EUROPAC INTERNATIONAL COMPANY *europac*

1F, No. 109 Zihchiang South Street, Fengyuan, Taichung 42051, TAIWAN

Tel: +886 4 25155907

Fax: +886 4 25155908

E-mail: sales@europac.com.tw

<http://www.europac.com.tw>

EP-3300VECK Cyclone Dust Collector



EUROPAC INTERNATIONAL COMPANY *europac*

1F, No. 109 Zihchiang South Street, Fengyuan, Taichung 42051, TAIWAN

Tel: +886 4 25155907

Fax: +886 4 25155908

E-mail: sales@europac.com.tw

<http://www.europac.com.tw>

EP-3300VECK Cyclone Dust Collector



EUROPAC INTERNATIONAL COMPANY *Europac*

1F, No. 109 Zihchiang South Street, Fengyuan, Taichung 42051, TAIWAN

Tel: +886 4 25155907

Fax: +886 4 25155908

E-mail: sales@europac.com.tw

http://www.europac.com.tw

Europac PORTABLE CYCLONE DUST COLLECTORS WITH AUTO CANISTER CLEANING SYSTEMS (EURO MODEL)

FEATURES

- Canister filters always resist more hazardous fine dust before it can become airborne or enter your lungs.
- Auto cleaning system can easily help to clean the canister filter with only one tough switch.
- Cartridge filter is made of spun-bond polyester that filters 99.9% of particles from 0.2 to 2 microns in size.

PATENTED



THE BAG GRIPPER

- This bag gripper provides the ability to use convenient plastic bags inside your dust drum. It provides a constant, negative pressure on the outside surface of the plastic that keep it pulled tight against the side of the dust drum.

PATENTED



EP-2200VECK

SPECIFICATIONS

EP-2200VECK

Motor	2 HP / 60 HZ	1.5 KW / 50 HZ
Air Suction W/O Bag	1600 CFM	2100 m ³ /h
Max. Static Pressure	13.2 InH ₂ O	335 mmAq
Inlet Diameter	8" x 4" x 2	
Drum Capacity	28 gallons	
Noise Rate (@3M)	74 dB	
Filter Surface	3.7 M ²	
Overall Size (L x W x H)	1000 x 670 x 1700 mm	
Packing Size (L x W x H)	1155 x 1200 x 780 mm	
N.W. / G.W. / Cuft	131 kgs / 149 kgs / 38.2'	

PATENTED



QUICK LIFT LEVER

- Quick and smart device for pulling out the steel drum which one person can be done easily.



Optional:
Remote control

PATENTED



EP-3300VECK

SPECIFICATIONS

EP-3300VECK

Motor	3 HP / 60 HZ	2.25 KW / 50 HZ
Air Suction W/O Bag	2200 CFM	2860 m ³ /h
Max. Static Pressure	14.8 InH ₂ O	376 mmAq
Inlet Diameter	8" x 4" x 3	
Drum Capacity	60 gallons	
Noise Rate (@3M)	78 dB	
Filter Surface	6.5 M ²	
Overall Size (L x W x H)	1200 x 670 x 2200 mm	
Packing Size (L x W x H)	Machine: 1230 x 700 x 1130 mm Canister: 1590 x 520 x 530 mm	
N.W. / G.W. / Cuft	Machine: 139 kgs / 158 kgs / 34.4' Canister: 40.5 kgs / 45.5 kgs / 15.5'	

EUROPAC INTERNATIONAL COMPANY

http://www.europac.com.tw

email: sales@europac.com.tw